

MINUTES OF JOINT HEALTH & SAFETY COMMITTEE PROCÈS-VERBAL DU COMITÉ MIXTE D'HYGIÈNE ET DE SÉCURITÉ			
Name of employer / Nom de l'employeur	St. Thomas University	Workplace location / Lieu de travail	Fredericton
Phone number / Numéro de téléphone	506-452-0630	Date of last meeting / Date de la dernière réunion	September 27, 2019
Date of meeting / Date de la reunion	October 25, 2019	Name of secretary / Nom du (de la) secrétaire	Jason Scarbro
Co-Chairperson / Coprésident-e	Jason Scarbro (Employer Co-Chair) / Dave Dunbar (Employee Co-Chair)		
Members present / Membres présents	Philip Cliff / Dave Dunbar / Jason Scarbro / Garry Hansen / Tim O'Brien / Lori Orchard / Matt Robinson / Janet Mullin		
Absent			
Guest(s) /			

mvite(s)				
	Business carried forward / Affaires reportées de la dernière réunion			
Date of origin / Date d'origine	Discussion topic / Sujet de discussion	Target date / Date visée	Action and by whom / Mesures prises et par qui	Date completed / Date d'achèvement
March, 2019	Workplace Violence Policy		An information sheet from Cox & Palmer was distributed. HR will create the framework of a policy and will bring it to the JHSC for review. Risk assessment survey is in the final stage of development. Next step is for survey to be sent to the JHSC for review.	
			The JHSC has reviewed the survey and it is now ready for distribution. The Office of Research Services and/or the Chair of the Research Ethics Board will be consulted before distribution. The Faculty and Staff Unions will be consulted as well. Distribution is targeted for week after November Reading Week.	

	I D	T 5 · · ·		
November, 2014	Request for Fire Wardens	Priority	We have finalized a breakdown for each building outlining the goal and current number of wardens. The goal is to have one Warden per floor to do role call once building is evacuated. HR has produced checklists (by building; by floor) for role calls. A staff listing has been provided to Facilities Management to facilitate identifying new wardens. Philip has been working on Fire Warden responsibilities. This needs to be completed before search for wardens begins. Plan has been approved to have one muster station in the upper courtyard and one muster station in the lower courtyard. A draft document has been created	
			but requires further revision.	
August, 2014	Power outage concerns		Policy to be developed for response during power outages. Issues include: Dark stairwells or hallways Fire alarms don't work Ventilation Accessibility (elevators don't work) Need to integrate with class cancellation policy (Jason) Fire warden could play a role UNB does not have a policy but security believes one should exist Concept of 5 minute waiting period (to be researched further) Jason reported on feedback received from other universities, including CBU which has a policy. Information gathered will be reviewed to see if it might lead to a procedural document at STU. Other topics of discussion include: VOIP and students in residence.	

Maral- 0047	Education remarks a constation of E	A discussion was bald to determine
March, 2017	Education regarding completing the Form	A discussion was held to determine
	67	the best method to build awareness
		of this issue. The following ideas
		were brought forward:
		- Multiple e-mail messages
		(message should inform
		employees there are three
		distinct forms – one each for
		the doctor, employee, and
		employer).
		- Speak with Department
		Chairs at an upcoming
		Department Chairs' meeting
		 WorkSafeNB presentation
		will be helpful when creating
		communication to
		employees and procedures.
		Garry agreed to prepare a summary
		and send to Lori and Jason for
		review.
		Droft was sent to the University
		Draft was sent to the Unions for
		review. Just waiting for confirmation
		and then will send the notice out.
		E-mail message was sent out to
		Faculty and Staff on October 7, 2019.
		We will add this item as a reminder at
		the next AMC.
November,	First Aid Kits – Who is responsible for	Facilities Management checks the
2017	checking / re-filling?	kits annually.
		Ideas put forward included:
		- Creating a checklist for the kits.
		- Using a seal so we can determine
		when a kit has been used.
		- Including the checking of kits as a
		responsibility for Fire Wardens.
January, 2018	Computer cords causing trip hazards in	FM recently received pricing for
	JDH. May be helpful to check with HIL at	receptacles. This pricing will be
	UNB to see how they handle this problem.	reviewed. The need for a solution is
		clear based on a recent event held in
		JDH.
November,	Floor lighting in Kinsella Auditorium	FM spoke with contractor. There is
2018		lighting on the end on the rows but it
		is dim. The contractor will be
		exploring this soon. The current
		challenge is that LED lighting would
		be too bright for the venue. Light
		shields were suggested but they
		would either break easily or would create a trip hazard.
October, 2019	Follow up with safety incident involving	Follow up completed. Employee was
	HM.	stung by wasps several times on the
		leg as they went down the steps in
		the lower courtyard. Facilities
		immediately dealt with the nest. No
Ì		further action required.
		ratifier action required.



October, 2019 October, 2019 October, 2019	Determine whether we require more First Aid kits around campus and/or ensure First Aid Providers have their own kit (DD medical incident). Floor plug on 2nd floor of Duffie Hall is a trip hazard and is currently being covered by a yellow caution sign. Loose steps caused by rain storm.	This action item needs to be discussed and delegated. Also see other First Aid kit action item (who is responsible for checking/filling). Course of action to be determined. A temporary fix was made
		immediately. Work order is in to fix this.
October, 2019	Insurance coverage for internship students who are on work placements.	Jason and Philip will meet to determine scenarios and responsibilities.
	Standing it	ems / Points permanents
	Acceptance of minutes from September 2019	Motion to approve: G. Hansen Seconded: T. O'Brien Motion carried
	Updates on accidents and first aid	 Aramark employee who often works alone had a medical emergency at work. A "supervisor check-in" was instituted. An employee twisted their back and could not work in the afternoon.
	Any health or safety concerns brought forward by employer or employees to committee members	 Mice infestation. BMH – Problem in the past. Bird feeders that contribute to the problem were removed but have been put back up. Proactive measures have been put in place to prevent reoccurrence. MMH – Current problem. Steps are being taken to deal with this issue. Pole lights in the BMH parking lot are now working. A new LED light was put on HCH facing the lot.
	Any health or safety concerns arising from workplace inspections	- None
	Health or safety concerns and/or information brought forward by JHSC members	- High heat in HCH. UNB has been asked to look into this. The system is not very responsive and the time of year can be a problem (cool nights and warmer afternoons).
	New busir	ess / Affaires nouvelles
October 2019	Fire drills	 Fire drills were held. The times were good. There is room for improvement with people leaving by the closest door.



October 2019	JHSC Training	 Lori completed her training. 		
Data of a set see at	to and	On Obering and American A		
Date of next meet		Co-Chairperson (employer) /		
Date de la procha	ine réunion: November 22, 2019	Coprésident-e (employeur) :		
		Co-Chairperson (employee) / Coprésident-e (salariés) :		
		Copresident-e (salanes) .		
	Bathurst			
Place Bathurst Mall, 1300 St. Peter Avenue, Suite 220, Bathurst NB E2A 3A6		Place Bathurst Mall, 1300, avenue St. Peter, pièce 220, Bathurst, NB E2A 3A6		
Fax: 506 547-7311 or 506 547-2982		N° de télécopieur : 506 547-7311 ou 506 547-2982		
	Grand Falls / Grand-Sault			
166 Broadway Blvd., Suite 300, P.O. Box 7244 Grand Falls NB E3Z 2J9		166, boulevard Broadway, pièce 300, case postale 7244, Grand-Sault, NB E3Z 2J9		
Fax: 506 475-2568		N° de télécopieur : 506 475-2568		
Dieppe				
30 Englehart Street, Suite F Dieppe NB E1A 8H3		30, rue Englehart, pièce F, Dieppe, NB E1A 8H3		
Fax: 506 859-6911		N° de télécopieur : 506 859-6911		
Grand Bay-Westfield				
P.O. Box 160 Saint John NB E2L 3X9		Case postale 160, Saint John, NB E2L 3X9		
Fax (Southwest Region): 506 738-4050		N° de télécopieur (Région du Sud-ouest) : 506 738-4050		